ELSEVIER

Nuclear Engineering and Design 167 (1997) 397–398

Nuclear Engineering and Design

Author Index of Volume 167

Antonescu, C., see Korsah, K. 167 (1997) 251

Bonora, N., see Rahman, S. 167 (1997) 55

Chang, C.-J. and R. Lahey Jr., Analysis of chaotic instabilities in boiling systems 167 (1997) 307
Chang, S.-H., see Wang, S.-J. 167 (1997) 335
Chien, C.-S., see Wang, S.-J. 167 (1997) 335
Chiu, B., see Hastings, M.C. 167 (1997) 239
Chopra, O.K., see Keisler, J.M. 167 (1997) 129
Christoskov, I.D., see Vapirev, E.I. 167 (1997) 105

Dezhong, L., see Yueyuan, J. 167 (1997) 223
Diercks, D.R., see Korth, G.E. 167 (1997) 267
Dimitrov, V.I., see Vapirev, E.I. 167 (1997) 105
Driscoll, M., see Hejzlar, P. 167 (1997) 375

El-Damcese, M.A., Reliability of systems subject to common-cause hazards assumed to obey an exponential power model 167 (1997) 85

Fernandez, P., Probabilistic fire analysis capabilities, applications and weak points 167 (1997) 77

García-Mazarío, M., A.M. Lancha, M. Hernández and C. Maffiotte, Effect of lead on Inconel 600 and Incoloy 800 oxide layers formed in simulated steam generator secondary environments 167 (1997) 155
Ghadiali, N., see Rahman, S. 167 (1997) 55
Green, M., see Niwa, Y. 167 (1997) 113
Gu, Wen wei, see Maeda, Noriyoshi, 167 (1997) 69
Gupta, Abhinav see Gupta, Ajaya K. 167 (1997) 1
Gupta, Ajaya K., Tasnim Hassan, Abhinav Gupta, Time and frequency domain analyses of single-degree-of-freedom systems 167 (1997) 1

Hagen, S., see Ott, L.J. 167 (1997) 287
Hainoun, A., E. Hicken and J. Wolters, Modelling of void formation in the subcooled boiling regime in the ATHLET code to simulate flow instability for research reactors 167 (1997) 175
Hassen, T., see Gupta, Ajaya K. 167 (1997) 1
Hastings, M.C., B. Chiu and D.W. Nippa, Engineering the development of Optical Fiber Sensors for adverse environments 167 (1997) 239
Hejzlar, P., B. Mattingly, N. E. Todreas and M. Driscoll, Advanced fuel elements for passive pressure tube light water reactors 167 (1997) 375
Hernández, M., see García-Mazarío, M. 167 (1997) 155
Hicken, E., see Hainoun, A. 167 (1997) 175
Hollnagel, E., see Niwa, Y. 167 (1997) 113
Huan, Wu-Ing, see Yang, Iuan-Jou 167 (1997) 91
Huterer, J., Staff training program of CANDU nuclear projectsin Saskatoon 167 (1997) 229

Jeng, S.-C., see Wang, S.-J. 167 (1997) 335
Jordanov, T.J., see Vapirev, E.I. 167 (1997) 105

Keisler, J.M., O.K. Chopra and W.J. Shack, Statistical models for estimating fatigue strain–life behavior of pressure boundary materials in light water reactor enviroments 167 (1997) 129
Korsah, K. and C. Antonescu, Evaluating 'new' instrumentation and control technologies for safety-related applications in nuclear power plants 167 (1997) 251
Korth, G.E., D.R. Diercks and L.A. Neimark, Results of examinations of pressure vessel samples and instrument nozzles from the TMI-2 lower head 167 (1997) 267

Lahey Jr., R., see Chang, C.-J. 167 (1997) 307
Lancha, A.M., see García-Mazarío, M. 167 (1997) 155
Lapeña, J., see Valiente, A. 167 (1997) 11

Lee, C.-H., see Liu, T.-J. 167 (1997) 357
Li, P.N., see Xu, H. 167 (1997) 7
Liu, T.-J., C.-H. Lee and Y.-S. Way, IIST and LSTF counterpart test on PWR station blackout transient 167 (1997) 357

Maeda, N., N. Nakamura, M. Uchida, Y. Ohta and K. Yoshida, Application of positron annihilation line-shape analysis to fatigue damage for nuclear plant materials 167 (1997) 169
Maeda, Noriyoshi, Takayuki Watanabe, Michiaki Yoshino, Wen wei Gu, Fundamental study on applications of damage mechanics to evaluation of material degradation 167 (1997) 69
Maffiotte, C., see García-Mazario, M. 167 (1997) 155
Marengo, A.A. and J.E. Perez Ipiña, 167 (1997) 215
Mattingly, B., see Hejzlar, P. 167 (1997) 375

Nakamura, N., see Maeda, N. 167 (1997) 169
Neimark, L.A., see Korth, G.E. 167 (1997) 267
Nianzu, Y., see Yueyuan, J. 167 (1997) 223
Nierode, C.F., see Rohrer, R.J. 167 (1997) 193
Nippa, D.W., see Hastings, M.C. 167 (1997) 239
Niwa, Y., E. Hollnagel and M. Green, Guidelines for computerized presentation of emergency operating procedures 167 (1997) 113

Ohta, Y., see Maeda, N. 167 (1997) 169
Ott, L.J. and S. Hagen, Interpretation of the results of the CORA-33 dry core boiling water reactor test 167 (1997) 287

Park, G. and P. Seong, Application of a self-organizing fuzzy logic controller to nuclear steam generator level control 167 (1997) 345
Perez Ipiña, J.E., see Marengo, A.A. 167 (1997) 215

Rahman, S., N. Ghadiali, G.M. Wilkowski, N. Bonora, Effects of off-centered cracks and restraint of induced bending caused by pressure on the crack-opening-area analysis of pipes 167 (1997) 55
Rohrer, R.J. and C.F. Nierode, Simple method for risk assessment of nuclear power plant refueling outages 167 (1997) 193

Seong, P., see Park, G. 167 (1997) 345
Sefidvash, F., Status of the small modular fluidized bed light water nuclear reactor concept 167 (1997) 203
Shack, W.J., see Keisler, J.M. 167 (1997) 129
Sun, Yuan-Lung, see Yang, Iuan-Jou 167 (1997) 91

Teng, Mao-Ying, see Yang, Iuan-Jou 167 (1997) 91
Todreas, E.N., see Hejzlar, P. 167 (1997) 375
Tsukimori, Kazuyuki, Analysis of the effect of interaction between shear and bending loads on the buckling strength of cylindrical shells 167 (1997) 23

Uchida, M., see Maeda, N. 167 (1997) 169

Vapirev, E.I., V.I. Dimitrov, T.J. Jordanov and I.D. Christoskov, Conversion of high enriched uranium in thorium-232-based oxide fuel for light and heavy water reactors: MOX-T fuel 167 (1997) 105

Wang, S.-J., S.-H. Chang, C.-S. Chien and S.-C. Jeng, Simulation of the pressure setpoint change transient with the Kuosheng plant analyzer 167 (1997) 335
Wang, Z.W., see Xu, H. 167 (1997) 7
Watanabe, Takayuki, see Maeda, Noriyoshi, 167 (1997) 69
Way, Y.-S., see Liu, T.-J. 167 (1997) 357
Wenran, W., see Yueyuan, J. 167 (1997) 223
Wilkowski, G.M., see Rahman, S. 167 (1997) 55
Wolters, J., see Hainoun, A. 167 (1997) 175

Xie, Y.J., see Xu, H. 167 (1997) 7
Xu, H., P.N. Li, Y.J. Xie, Z.W. Wang, *J* integral estimation fracture analysis for circumferentially cracked carbon steel piping 167 (1997) 7

Yang, Iuan-Jou, Mao-Ying Teng, Wu-Ing Ham, Yuan-Lung Sun, Decontamination of the reactor coolant pump in Maanshan nuclear power plant 167 (1997) 91
Yaliente, A., J. Lapeña, Measurement of the yield and tensile strengths of neutron-irradiated and post-irradiation recovered vessel steels with notched specimens 167 (1997) 11
Yueyuan, J., Combination coding control rod position-indicating system 167 (1997) 223
Yoshida, K., see Maeda, N. 167 (1997) 169
Yoshino, Michiaki, see Maeda, Noriyoshi, 167 (1997) 69

ELSEVIER

Nuclear Engineering and Design 167 (1997) 399–400

Nuclear Engineering and Design

Subject Index of Volume 167

Thermal and fluid design

Modelling of void formation in the sub-cooled boiling regime in the ATHLET code to simulate flow instability for research reactors
A. Hainoun, E. Hicken, J. Wolters 167 (1997) 175

Engineering mechanics

Time and frequency domain analyses of single-degree-of-freedom systems
Ajaya K. Gupta, Tasnim Hassan, Abhinav Gupta 167 (1997) 1

J integral estimation fracture analysis for circumferentially cracked carbon steel piping
H. Xu, P.N. Li, Y.J. Xie, Z.W. Wang 167 (1997) 7

Analysis of the effect of interaction between shear and bending loads on the buckling strength of cylindrical shells
Kazuyuki Tsukimori 167 (1997) 23

Statistical models for estimating fatigue strain–life behavior of pressure boundary materials in light water reactor environments
J.M. Keisler, O.K. Chopra, W.J. Shack 167 (1997) 129

Materials properties

J integral estimation fracture analysis for circumferentially cracked carbon steel piping
H. Xu, P.N. Li, Y.J. Xie, Z.W. Wang 167 (1997) 7

Statistical models for estimating fatigue strain–life behavior of pressure boundary materials in light water reactor environments
J.M. Keisler, O.K. Chopra, W.J. Shack 167 (1997) 129

Effect of lead on Inconel 600 and Incoloy 800 oxide layers formed in simulated steam generator secondary environments
M. García-Mazarío, A.M. Lancha, M. Hernández, C. Maffiotte 167 (1997) 155

Application of positron annihilation line-shape analysis to fatigue damage for nuclear plant materials
N. Maeda, N. Nakamura, M. Uchida, Y. Ohta, K. Yoshida 167 (1997) 169

Mechanical design, component fabrication and testing

Measurement of the yield and tensile strengths of neutron-irradiated and post-irradiation recovered vessel steels with notched specimens
A. Valiente, J. Lapeña 167 (1997) 11

Effects of off-centered cracks and restraint of induced bending caused by pressure on the crack-opening-area analysis of pipes
S. Rahman, N. Ghadiali, G.M. Wil-kowski, N. Bonora 167 (1997) 55

Fundamental study on applications of damage mechanics to evaluation of material degradation
Noriyoshi Maeda, Takayuki Watanabe, Michiaki Yoshino, Wen wei Gu 167 (1997) 69

Application of positron annihilation line-shape analysis to fatigue damage for nuclear plant materials
N. Maeda, N. Nakamura, M. Uchida, Y. Ohta, K. Yoshida 167 (1997) 169

Pressure vessel steel fracture toughness in the regime from room temperature to 400°C
A.A. Marengo, J.E.P. Ipiña 167 (1997) 215

Combination coding control rod position-indicating system
J. Yueyuan, W. Wenran, Y. Nianzu, L. Dezhong 167 (1997) 223

Reactor concepts and systems analysis

Status of the small modular fluidized bed light water nuclear reactor concept
F. Sefidvash 167 (1997) 203

System control and controls

Guidelines for computerized presentation of emergency operating procedures
Y. Niwa, E. Hollnagel, M. Green 167 (1997) 113
Staff training program of CANDU nuclear projects in Saskatoon
J. Huterer 167 (1997) 229

Nuclear waste management and disposal

Decontamination of the reactor coolant pump in Maanshan nuclear power plant
Iuan-Jou Yang, Mao-Ying Teng, Wu-Ing Huan, Yuan-Lung Sun 167 (1997) 91

Core physics and fuel design

Conversion of high enriched uranium in thorium-232-based oxide fuel for light and heavy water reactors: MOX-T fuel
E.I. Vapirev, V.I. Dimitrov, T.J. Jordanov, I.D. Christoskov 167 (1997) 105
Status of the small modular fluidized bed light water nuclear reactor concept
F. Sefidvash 167 (1997) 203

Nuclear safety

Simple method for risk assessment of nuclear power plant refueling outages
R.J. Rohrer, C.F. Nierode 167 (1997) 193

Thermal-hydraulics and safety

Probabilistic fire analysis capabilities, applications and weak points
P. Fernandez 167 (1997) 77
Reliability of systems subject to common-cause hazards assumed to obey an exponential power model
M.A. El-Damcese 167 (1997) 85
Engineering the development of Optical Fiber Sensors for adverse environments
M.C. Hastings, B. Chiu, D.W. Nippa 167 (1996) 239
Evaluating 'new' instrumentation and control technologies for safety-related applications in nuclear power plants
K. Korsah, C. Antonescu 167 (1997) 251
Results of examinations of pressure vessel samples and instrument nozzles from the TMI-2 lower head
G.E. Korth, D.R. Diercks, L.A. Neimark 167 (1997) 267
Interpretation of the results of the CORA-33 dry core boiling water reactor
L.J. Ott, S. Hagen 167 (1997) 287
Analysis of chaotic instabilities in boiling systems
C.-J. Chang, R.T. Lahey Jr. 167 (1997) 307
Simulation of the pressure set-point change transient with the Kuosheng plant analyzer
S.-J. Wang, S.-H. Chang, C.-S. Chien, S.-C. Jeng 167 (1997) 335
Application of a self-organizing fuzzy logic controller to nuclear steam generator level control
G.Y. Park, P.H. Seong 167 (1997) 345
IIST and LSTF counterpart test on PWR station blackout transient
T.-J. Liu, C.-H. Lee, Y.-S. Way 167 (1997) 357
Advanced fuel elements for passive pressure tube light water reactors
P. Hejzlar, B.T. Mattingly, N.E. Todreas, M.J. Driscoll 167 (1997) 375